PATENT COOPERATION TREATY

D	1	7	•	I	٦
	w				

ŔĔĠ'Ď	29	MAR	2005	! !
WIPO			PCT	

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference	EOD EIDTIED ACE	ION	See Form PCT/IPEA/416
RM-111(PCT)	FOR FURTHER ACTI	LON	
International application No.	International filing date (de	ay/month/year)	Priority date (day/month/year)
PCT/US04/12234	21 April 2004 (21.04.2004))	05 June 2003 (05.06.2003)
International Patent Classification (IPC)	or national classification and	IPC	i
IPC(7): B41F 17/00 and US Cl.: 101,2, 3	35, 38.1, 40 , 41, 44, 487: 347 <i>,</i>	/2	
Applicant			
STOLLE MACHINERY COMPANY, L		######################################	
Examining Authority unde	er Article 35 and transmitte	ed to the applicant ac	
This REPORT consists of	a total of Sheets, inclu	ding this cover shee	t.
3. This report is also accomp	panied by ANNEXES, com	prising:	. V
a. (sent to the applica	ant and to the Internationa	l Bureau) a total of	sheets, as follows:
this report a	description, claims and/or nd/or sheets containing re 607 of the Administrative	ectifications authoriz	we been amended and are the basis of zed by this Authority (see Rule 70.16
that goes be	n supersede earlier sheets, yond the disclosure in the and the Supplemental Box.	but which this Auth international application	ority considers contain an amendment ation as filed, as indicated in item 4 of
b. (sent to the Intern	ational Bureau only) a tota	l of (indicate type a	nd number of electronic carrier(s))
, containin	ng a sequence listing and/or	r tables related there	to, in computer readable form only, as
Administrative I		elating to Sequence	e Listing (see Section 802 of the
•			
K-7	ations relating to the follow	wing items:	
Box No. I	Basis of the report		•
Box No. II F	riority		
<u> </u>	Non-establishment of opini applicability	on with regard to no	velty, inventive step and industrial
	ack of unity of invention		
			h regard to novelty, inventive step or on supporting such statement
1 —	Certain documents cited		
Box No. VII (Certain defects in the interr	national application	
Box No. VIII (Certain observations on the	international applic	ation
Date of submission of the demand		Date of completion	of this report
04 January 2005 (04.01.2005)		01 March 2005	
Name and mailing address of the IPEA/	US	Authorized officer	In della Acom
Mail Stop PCT, Attn: IPEA/US Commissioner for Patents		Eugene H. Eickholt	Indelle Garton
P.O. Box 1450 Alexandria, Virginia 22313-1450		Lugent II. Islekiioit	· EV
Facsimile No. (703) 305-3230		Telephone No. 571-	272-2160

Form PCT/IPEA/409 (cover sheet)(January 2004)

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.
PCT/US04/12234

Box No.	I Basis of the report
1. With 1	regard to the language, this report is based on the international application in the language in which it was filed, so therwise indicated under this item.
	This report is based on translations from the original language into the following language, which is the language of a translation furnished for the purposes of:
Ì	international search (under Rules 12.3 and 23.1(b))
,	publication of the international application (under Rule 12.4)
ļ	international preliminary examination (under Rules 55.2 and/or 55.3)
to the	regard to the elements of the international application, this report is based on (replacement sheets which have been furnished receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not seed to this report):
\boxtimes	the international application as originally filed/furnished
\boxtimes	the description:
	pages 1-11 as originally filed/furnished pages* NONE received by this Authority on
	pages* NONE received by this Authority on
5-3	the claims:
	pages 12-16 as originally filed/furnished
	pages* NONE as amended (together with any statement) under Article 19
	pages* NONE received by this Authority on pages* NONE received by this Authority on
-	
	the drawings:
	pages 1-5 as originally filed/furnished
	pages* NONE received by this Authority on pages* NONE received by this Authority on
	a sequence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.
H	a sequence using annot any related table(s) - see Suppremental Box Relating to Sequence Listing.
3.	The amendments have resulted in the cancellation of
	the description, pages
	the claims, Nos
	the drawings, sheets/figs
	the sequence listing (specify):
	any table(s) related to the sequence listing (specify):
4.	This report has been established as if (some of) the amendments annexed to this report and listed below had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).
	the description, pages
}	the claims, Nos
	the drawings, sheets/figs
	the sequence listing (specify):
	any table(s) related to the sequence listing (specify):
* If item	n 4 applies, some or all of those sheets may be marked "superseded."

Form PCT/IPEA/409 (Box No. I) (January 2004)

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

Form PCT/IPEA/409 (Box No. V) (January 2004)

International application No. PCT/US04/12234

Statement									
Novelty (N)	Claims	1-24			_				_YE
	Claims	NONE				<u></u>			_ N
Inventive Step (IS)	Claims	2-24	·•,						_YE
mromit to crop (m)		1							_ N(
Industrial Applicability (IA)	Claims	1-24							YE
industrial Application (123)		NONE							_ N
27. Circular objects in cross section are being closed at column 2, lines 61-63. It is well known dern ink jet printers print digitally under computing 2-24 meet the criteria set forth in PCT Artic	printed as stated in that cans are ob- ter program cont cle 33(2)-(3) as t	at column 3 jects having rol to ensure he prior art	circular e speed, a does not t	Rotation cross sec ccuracy a cach or f	of the cions and ease	objects of it is a confidence of font	luring ; lso wel style o e use o	printing lknown hanges f multir	that that
27. Circular objects in cross section are being closed at column 2, lines 61-63. It is well known dern ink jet printers print digitally under computing 2-24 meet the criteria set forth in PCT Articipater controlled ink jet printheads in combinations. ims 1-24 meet the criteria set out in PCT Articipater.	printed as stated a that cans are obter program cont cle 33(2)-(3) as the can train that the can train th	at column 3 jects having rol to ensure he prior art ansport whice	, line 19. circular speed, a does not t ch can trai	Rotation cross sec couracy a each or f asport ca	of the cions and ease airly sures to se	d it is a c of font ggest th	luring i lso wel style o e use o orinthe	printing lknown hanges f multip ids whi	that that le rote
27. Circular objects in cross section are being closed at column 2, lines 61-63. It is well known dern ink jet printers print digitally under computing 2-24 meet the criteria set forth in PCT Articular controlled ink jet printheads in combinations. ims 1-24 meet the criteria set out in PCT Articular.	printed as stated a that cans are obter program cont cle 33(2)-(3) as the can train that the can train th	at column 3 jects having rol to ensure he prior art ansport whice	, line 19. circular speed, a does not t ch can trai	Rotation cross sec couracy a each or f asport ca	of the cions and ease airly sures to se	d it is a c of font ggest th	luring i lso wel style o e use o orinthe	printing lknown hanges f multip ids whi	that that le rote
27. Circular objects in cross section are being closed at column 2, lines 61-63. It is well known dern ink jet printers print digitally under computins 2-24 meet the criteria set forth in PCT Articular controlled ink jet printheads in combinations. Sims 1-24 meet the criteria set out in PCT Articular and or used in industry.	printed as stated a that cans are obter program cont cle 33(2)-(3) as the can train that the can train th	at column 3 jects having rol to ensure he prior art ansport whice	, line 19. circular speed, a does not t ch can trai	Rotation cross sec couracy a each or f asport ca	of the cions and ease airly sures to se	d it is a c of font ggest th	luring i lso wel style o e use o orinthe	printing lknown hanges f multip ids whi	that that le rote
27. Circular objects in cross section are being closed at column 2, lines 61-63. It is well known dern ink jet printers print digitally under computing 2-24 meet the criteria set forth in PCT Articipater controlled ink jet printheads in combinations. ims 1-24 meet the criteria set out in PCT Articipater.	printed as stated a that cans are obter program cont cle 33(2)-(3) as the can train that the can train th	at column 3 jects having rol to ensure he prior art ansport whice	, line 19. circular speed, a does not t ch can trai	Rotation cross sec couracy a each or f asport ca	of the cions and ease airly sures to se	d it is a c of font ggest th	luring i lso wel style o e use o orinthe	printing lknown hanges f multip ids whi	that that le rote
27. Circular objects in cross section are being closed at column 2, lines 61-63. It is well known dern ink jet printers print digitally under computing 2-24 meet the criteria set forth in PCT Articipater controlled ink jet printheads in combinations. ims 1-24 meet the criteria set out in PCT Articipater.	printed as stated a that cans are obter program cont cle 33(2)-(3) as the can train that the can train th	at column 3 jects having rol to ensure he prior art ansport whice	, line 19. circular speed, a does not t ch can trai	Rotation cross sec couracy a each or f asport ca	of the cions and ease airly sums to se	d it is a c of font ggest th	luring i lso wel style o e use o orinthe	printing lknown hanges f multip ids whi	that that le rote
27. Circular objects in cross section are being closed at column 2, lines 61-63. It is well known dern ink jet printers print digitally under computing 2-24 meet the criteria set forth in PCT Articipater controlled ink jet printheads in combinations. ims 1-24 meet the criteria set out in PCT Articipater.	printed as stated a that cans are obter program cont cle 33(2)-(3) as the can train that the can train th	at column 3 jects having rol to ensure he prior art ansport whice	, line 19. circular speed, a does not t ch can trai	Rotation cross sec couracy a each or f asport ca	of the cions and ease airly sums to se	d it is a c of font ggest th	luring i lso wel style o e use o orinthe	printing lknown hanges f multip ids whi	that that le rote
27. Circular objects in cross section are being closed at column 2, lines 61-63. It is well known dern ink jet printers print digitally under computing 2-24 meet the criteria set forth in PCT Articipater controlled ink jet printheads in combinations. ims 1-24 meet the criteria set out in PCT Articipater.	printed as stated a that cans are obter program cont cle 33(2)-(3) as the can train that the can train th	at column 3 jects having rol to ensure he prior art ansport whice	, line 19. circular speed, a does not t ch can trai	Rotation cross sec couracy a each or f asport ca	of the cions and ease airly sums to se	d it is a c of font ggest th	luring i lso wel style o e use o orinthe	printing lknown hanges f multip ids whi	that that le rot
27. Circular objects in cross section are being closed at column 2, lines 61-63. It is well known dern ink jet printers print digitally under computing 2-24 meet the criteria set forth in PCT Articipater controlled ink jet printheads in combinations. ims 1-24 meet the criteria set out in PCT Articipater.	printed as stated a that cans are obter program cont cle 33(2)-(3) as the can train that the can train th	at column 3 jects having rol to ensure he prior art ansport whice	, line 19. circular speed, a does not t ch can trai	Rotation cross sec couracy a each or f asport ca	of the cions and ease airly sums to se	d it is a c of font ggest th	luring i lso wel style o e use o orinthe	printing lknown hanges f multip ids whi	that that le rote
27. Circular objects in cross section are being closed at column 2, lines 61-63. It is well known dern ink jet printers print digitally under computing 2-24 meet the criteria set forth in PCT Articipater controlled ink jet printheads in combinations. ims 1-24 meet the criteria set out in PCT Articipater.	printed as stated a that cans are obter program cont cle 33(2)-(3) as the can train that the can train th	at column 3 jects having rol to ensure he prior art ansport whice	, line 19. circular speed, a does not t ch can trai	Rotation cross sec couracy a each or f asport ca	of the cions and ease airly sums to se	d it is a c of font ggest th	luring i lso wel style o e use o orinthe	printing lknown hanges f multip ids whi	that that le rote
27. Circular objects in cross section are being closed at column 2, lines 61-63. It is well known dern ink jet printers print digitally under computing 2-24 meet the criteria set forth in PCT Articipater controlled ink jet printheads in combinations. ims 1-24 meet the criteria set out in PCT Articipater.	printed as stated a that cans are obter program cont cle 33(2)-(3) as the can train that the can train th	at column 3 jects having rol to ensure he prior art ansport whice	, line 19. circular speed, a does not t ch can trai	Rotation cross sec couracy a each or f asport ca	of the cions and ease airly sums to se	d it is a c of font ggest th	luring i lso wel style o e use o orinthe	printing lknown hanges f multip ids whi	that that le rote